



Physical
Security
Systems

Access Control Physical Security Systems

Product Brochure

Together,
We make safe

Standards

Our products adhere to globally recognised standards, undergo independent testing and utilise data-backed approaches to understand each product’s capabilities, ensuring absolute peace of mind.

Contents

Our Approach and About Us	04-05
Sustainability	06-07
In Ground Access Control Systems	08-09
LockMaster	10
LockMaster Go	11
LockMaster S1	12
LockMaster S2	13
LockMaster S2 Auto	14
LockMaster S3	15
LockMaster S3 Auto	16
LockMaster S3 Panic Out	17
LockMaster S4	18
FibreFence Gates	19
SlideMaster	20
SlideMaster SR1	21
SlideMaster SR2	22
SlideMaster SR3	23
SpeedMaster	24
RiseMaster	25
PedMaster Single	26
PedMaster Double	27
On Ground Access Control Systems	28-29
RiseMaster HE Barrier	30
FenceSafe LockMaster	31
FenceSafe SlideMaster	32
FenceSafe PedMaster	33
CLD Rental & Hire	34-35
Installer Partners	36
Global Operations	37




Our Approach

About us

As a world leader in physical security solutions, CLD takes pride in over 50 years of experience, delivering innovative and market leading security fencing and access control systems. Our solutions are tailored to each site's needs, ensuring safe, secure, and sustainable protection.

With offices in multiple global locations, including our headquarters in Sandbach, Cheshire, trust CLD to meet your physical security requirements to the highest standard.



Sustainability

CLD Physical Security Systems is dedicated to promoting sustainability and reducing waste in its operations. We strive to support our customers and colleagues in making responsible choices for a greener future.

80%

Recycled plastic used in our hoarding

100%

Recycled plastic used in our FenceSafe bases

78%

The amount of recycled steel used in all of CLD's steel fencing and posts

We are actively reevaluating our approach and engaging specialists to make a meaningful and measurable difference in sustainability.

We have already achieved significant milestones on our sustainability journey, including:

ISO 14001 Environmental Management System

Our approach has accelerated with the implementation of the ISO: 14001 Environmental Management System.

This international standard offers us a framework that helps us manage the impact that our businesses have on the environment.

It guarantees to our stakeholders that we comply with all legislation, regulations, and other environmental requirements. It also gives us the tools to make continual improvements to our performance.

EcoVadis

In 2021 we received a Silver Medal in recognition of sustainability achievement from EcoVadis. The Ecovadis Sustainability Scorecard assesses our performance against 21 indicators across 4 themes:

- Environment
- Labour and Human Rights
- Ethics
- Sustainable procurement

The EcoVadis assessment gives us more signposts for improvement so that we can secure a Gold Medal in the future.

Planet Mark

It is well known that in business you can't manage what you can't measure. It is vital that we can measure the continuous improvements we are making. CLD is working closely in partnership with Planet Mark, to measure our carbon emissions, energy and water consumption, travel and waste. Planet Mark also supports us with an understanding of how our social activities impact on the community.

Sustainable procurement

All of CLD's steel fencing and posts are manufactured from at least 78% recycled British and European steel, and our FenceSafe bases are manufactured from 100% recycled plastic and our hoarding from at least 80% recycled plastic.

All our steel products are widely recyclable. Furthermore, the panels used in our innovative FenceSafe temporary fencing solutions can be repurposed for use in the permanent fence line, making them the perfect sustainable solution.

Transport is another crucial area that we are looking to improve. We operate our own dedicated logistics department, which holds FORS Silver across its fleets.



Assessed to ISO 9001:2015
Assessed to ISO 14001:2015
Cert/LPCB ref. 999

Our Systems

In Ground Access Control

Physical Security Systems

Realise the power of our range of permanent access control solutions, providing secure and seamless control over your premises.



Barriers
Manual & Automatic Barriers

Lift arm barriers can be used to control access to entrance ways and car parks, providing an economic yet strong way of deterring unauthorised access.



Gates
Swing, Bi-Fold & Sliding options

Every fence line needs at least one gate to allow for the safe passage of people and vehicles, and ours fit seamlessly with every fencing system we offer.



Turnstiles
Single & Double Pedestrian access

High security for site entry and exit, available in bi-directional or single direction operation allowing you to determine how they are used within the overall fence line.



CLD LockMaster

Single and double leaf swing gate system



Find out more
Scan for more information

Description

CLD LockMaster™ Swing Gates - single and double - fit seamlessly with every fencing system we offer. The rigid welded steel wire mesh panels are fixed to a steel SHS surround using a solid clamp bar and secure fixings, making them extremely hard-wearing and giving them a real heavy-duty feel. Supplied with steel drop bolt sockets to be set in concrete, all gates feature adjustable anti-lift-off hinges, making them incredibly difficult to vandalise.

CLD LockMaster GO


Fast Turnaround Gates



Find out more
Scan for more information

Description

CLD's LockMaster Go gates have been specially developed to reduce the traditional long lead-times on mesh gate systems. Available in four different CLD mesh options: Eclipse, Exempla, MultiPlus and Securus.




Features

Wide range of locks and security options available

Anti-lift off hinges on heavy duty posts and frame

Gate infill to match fence system or clients own design

Exploded view of post and fixing details for the CLD LockMaster
This product has additional features not demonstrated for security reasons



Features

Available in four different mesh options

Double or Single leaf options

Front, Rear or Centre Hung


Wide range of RAL colours available

Exploded view of post and fixing details for the CLD LockMaster Go
This product has additional features not demonstrated for security reasons



CLD LockMaster S1

Swing gate system to LPS 1175 A1 (SR1) Issue 8



Minimum of 60 Seconds
delay against attack




Find out more
Scan for more information

Description

CLD's LockMaster swing gates have been specially developed to blend in seamlessly with a CLD fence line. Available in different mesh options Dulok and Dulok 25, Securus and Ultimate Extra, they offer security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 60 seconds against attack.

CLD LockMaster S2

Swing gate system to LPS 1175 B3 (SR2) Issue 8



Minimum of 3 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD's LockMaster S2 swing gates have been specially developed to blend in seamlessly with a CLD Securus fence line. Available using a Securus S2 infill panel, LockMaster S2 offers security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 3 minutes against attack.


Features

Available in different mesh options to match fence line

Security-rated gates

Double or single leaf opening

Rear or centre hung



Exploded view of post and fixing details for the CLD Lockmaster S1
This product has additional features not demonstrated for security reasons


Features

Matches CLD Securus Fenceline

Security-rated gates

Double or single leaf opening

Opening in or out



Exploded view of post and fixing details for the CLD Lockmaster S2
This product has additional features not demonstrated for security reasons

CLD LockMaster S2 Auto

Automatic swing gate system to LPS 1175 B3 (SR2) Issue 8



Minimum of 3 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD's LockMaster S2 Auto swing gates have been specially developed to blend in seamlessly with a CLD Securus fence line. Available using a Securus S2 infill panel, LockMaster S2 offers security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 3 minutes against attack.

CLD LockMaster S3

Swing gate system to LPS 1175 C5 (SR3) Issue 8




Minimum of 5 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD's LockMaster S3 swing gates have been specially developed to blend in seamlessly with a CLD Securus fence line. Available using a Securus S3 infill panel, LockMaster S3 offers security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 5 minutes against attack.




Exploded view of post and fixing details for the CLD Lockmaster S2 Auto
This product has additional features not demonstrated for security reasons

Features

Matches CLD Securus
Fenceline

Security-rated gates

Double or single leaf opening



Exploded view of post and fixing details for the CLD Lockmaster S3
This product has additional features not demonstrated for security reasons

Features

Matches CLD Securus
Fenceline

Security-rated gates

Double or single leaf opening

Opening in or out



CLD LockMaster S3 Auto

Automatic swing gate system to LPS 1175 C5 (SR3) Issue 8



Minimum of 5 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD's LockMaster S3 Auto swing gates have been specially developed to blend in seamlessly with a CLD Securus fence line. Available using a Securus S3 infill panel, LockMaster S3 Auto offers security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 5 minutes against attack.

CLD LockMaster SR3 Panic Out

Emergency exit gate to LPS 1175 SR3 Issue 7




Minimum of 5 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD LockMaster SR3 Panic out emergency exit gate has been specifically developed to blend in seamlessly with a CLD Securus fence line. Available using a Securus S3 infill panel, LockMaster SR3 Panic Out offers security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 5 minutes against attack.




Features

Matches CLD Securus
Fenceline

Security-rated gates

Double or single leaf opening

Exploded view of post and fixing details for the CLD Lockmaster S3 Auto
This product has additional features not demonstrated for security reasons



Features

Compatible with access
control on request

Security-rated emergency
exit gate

Single leaf opening

Outwards opening

Exploded view of post and fixing details for the CLD Lockmaster SR3 Panic Out
This product has additional features not demonstrated for security reasons



CLD LockMaster S4

High Security Fencing to LPS 1175 D10 (SR4) / E3 / G1



Description

CLD's LockMaster S4 swing gates have been specially developed to blend in seamlessly with a CLD Securus fence line. Available using a Securus S4 infill panel, LockMaster S4 offers security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 10 minutes against attack.



Find out more
Scan for more information

Features

Matches CLD Securus Fenceline

Security-rated gates


Double or single leaf opening

Opening in or out

Exploded view of post and fixing details for the CLD Lockmaster S4
This product has additional features not demonstrated for security reasons

CLD FibreFence Gates

GRP Fibreglass Gate System



Description

CLD FibreFence Gates come in mesh, grating and railing panel types to match the existing fencing, and is available in pedestrian and vehicular styles allowing the natural completion of any FibreFence fencing system. They share all GRP's intrinsic benefits, i.e. radio transparency, frangibility, great resistance to corrosion, UV rays and weather, mechanical resistance, and very limited maintenance.



Find out more
Scan for more information

Features

Radio-transparent

Lightweight and easy to handle

Easy installation

Zero maintenance

Exploded view of post and fixing details for the CLD FibreFence Gates
This product has additional features not demonstrated for security reasons

CLD SlideMaster


Cantilever Sliding Gates



Find out more
Scan for more information

Description

CLD's SlideMaster gates have been specially developed to blend in seamlessly with a CLD fence line. Available in different mesh options to match the fence, set in a heavy-duty aluminium frame, SlideMaster gates are available up to 10 metres wide each. This gate is ideal for industrial, retail and car parks. The track is totally enclosed, preventing damage from vandals.



Exploded view of post and fixing details for the CLD SlideMaster
This product has additional features not demonstrated for security reasons

Features

Available in different mesh options to match fence line

Double or single leaf opening

Enclosed track



CLD SlideMaster SR1

Cantilever Auto Sliding Gate to LPS 1175 SR1 Issue 7




Minimum of 60 Seconds
delay against attack



Find out more
Scan for more information

Description

CLD SlideMaster SR1 gates have been specially developed to blend in seamlessly with a CLD Securus fenceline. Offering excellent visibility, they are difficult to cut through and scale. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 60 seconds against attack.



Exploded view of post and fixing details for the CLD SlideMaster SR1
This product has additional features not demonstrated for security reasons

Features

Clear drive through widths up to 8m

Security-rated gates

Automatic operation



CLD SlideMaster SR2

Cantilever Auto Sliding Gate to LPS 1175 SR2 Issue 7




Minimum of 3 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD SlideMaster SR2 gates have been specially developed to blend in seamlessly with a CLD Securus fenceline. Offering excellent visibility, they are difficult to cut through and scale. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 3 Minutes against attack, CLD SlideMaster SR2 is also Secured by Design accredited, making it a police-preferred specification for security.



Exploded view of post and fixing details for the CLD SlideMaster SR2
This product has additional features not demonstrated for security reasons

Features

Clear drive through widths
up to 8m

Security-rated gates

Automatic operation



CLD SlideMaster SR3

Cantilever Auto Sliding Gate to LPS 1175 SR3 Issue 7




Minimum of 5 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD SlideMaster SR3 gates have been specially developed to blend in seamlessly with a CLD Securus fenceline. Offering excellent visibility, they are difficult to cut through and scale. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 5 Minutes against attack, CLD SlideMaster SR3 is also Secured by Design accredited, making it a police-preferred specification for security.



Exploded view of post and fixing details for the CLD SlideMaster SR3
This product has additional features not demonstrated for security reasons

Features

Clear drive through widths
up to 8m

Security-rated gates

Automatic operation



CLD SpeedMaster

Bi-folding gate system



Find out more
Scan for more information

Description

CLD SpeedMaster™ bi-folding trackless speed gates open more than twice the speed of traditional swinging gates, to maintain the protection of the perimeter of high-level security premises. The rapid opening and closing action ensures traffic rarely stands still, so there's less opportunity for tailgating. With the SpeedMaster™ gates folding in on each other as they open, they're ideal where space is at a premium.

Features

Catch plate for security

Safety edges as standard

Heavy duty hinges

Exploded view of post and fixing details for the CLD SpeedMaster
This product has additional features not demonstrated for security reasons



CLD RiseMaster

Manual lift arm barrier



Find out more
Scan for more information

Description

CLD RiseMaster Manual lift arm barrier can be used to manually control access to entrance ways and car parks, or inhibited areas. This is a simple, economic yet strong way of deterring unauthorised access. They are a very versatile product which only needs one engineer for a quick, easy and cost-effective install. It can be used consistently during the day without effort and duress on the user.

Features

2 Gas struts for stability and security

Ready assembled

Pogo stick supports as optional extras

Exploded view of post and fixing details for the CLD RiseMaster
This product has additional features not demonstrated for security reasons



CLD PedMaster (Single)

Single turnstile system



Find out more
Scan for more information

Description

Turnstiles offer the best protection for site entry and exit. They help to prevent piggybacking and tailgating attempts at such a reliable level that no guard supervision is necessary. Manufactured to the exact same standards as a permanent turnstile, and are suitable for controlling access in environments such as reception areas, schools, public buildings and military bases.

CLD PedMaster (Double)

Single turnstile system



Find out more
Scan for more information

Description

CLD PedMaster turnstiles offer the best protection for site entry and exit. They help to prevent piggybacking and tailgating attempts at such a reliable level that no guard supervision is necessary. Manufactured to the exact same standards as a permanent turnstile, and are suitable for controlling access in environments such as reception areas, schools, public buildings and military bases.



Features


Force Tested to
1200 Newtons

Seamlessly forms part of the
existing fence lines

Bi-directional or single
direction only

All RAL colours available
(galvanised optional cost)

Exploded view of post and fixing details for the CLD Pedmaster Single
This product has additional features not demonstrated for security reasons



Features

All RAL colours
available

Force tested to 1200 Newtons

Bi-directional or single
direction only

Exploded view of post and fixing details for the CLD PedMaster Double
This product has additional features not demonstrated for security reasons

Introducing the **RiseMaster HE**

RiseMaster HE, a fully autonomous off-grid, solar-powered boom arm barrier system with unmatched sustainability, safety, performance, and versatility. It features photovoltaic solar panels for zero carbon emissions, complies with BS EN 12453:2017 safety standards, has 4G Wi-Fi connectivity, and can be permanently or temporarily installed without road-crossing cabling. Upgrade to the RiseMaster HE for the future of access control.



Our Systems

On Ground Access Control

Physical Security Systems

Explore our range of temporary access control solutions, providing secure and seamless control over your premises



Barriers

Off Grid, Solar-Powered

Lift arm barriers can be used to control access to entrance ways and car parks, providing an economic yet strong way of deterring unauthorised access.



Gates

Swing, Bi-Fold & Sliding Options

Every fence line needs at least one gate to allow for the safe passage of people and vehicles, and ours fit seamlessly with every fencing system we offer.



Turnstiles

Pedestrian Access

High security for site entry and exit, available in bi-directional or single direction operation allowing you to determine how they are used within the overall fence line



CLD RiseMaster HE Barrier

CLD Auto Access Barrier System



Description

The CLD RiseMaster HE Barrier is a fully autonomous off grid, solar powered automatic boom arm barrier system. It is available in both surface mount version - free standing and rapidly deployable - as well as permanent version, and is incorporated with photovoltaic panels. No road crossing cabling are required.

The Solar RiseMaster can power access control systems such as intercoms, radio transmitters and other equipment to be compliant with Safety Force Test Compliant to EN 12453:2017.



Find out more
Scan for more information

Features

- 24/7 365 Off Grid Solar Autonomy
- Zero Carbon Emissions over 10 Year Life Cycle
- No road crossing cabling required



FenceSafe Battery Container allows static equilibrium of the system and housing of the batteries to be combined within the same container.

Isometric view for the CLD RiseMaster HE Barrier
This product has additional features not demonstrated for security reasons

CLD FenceSafe LockMaster

Permanent grade swing gates in a temporary format



Description


CLD FenceSafe LockMaster gates offer a permanent grade of security in a temporary or on-ground format. The gate is supplied complete with infills to match the fenceline and is installed using CLD's innovative FenceSafe 100% recycled bases. All CLD's temporary gates can be converted to permanent access control solutions. Fence-Safe LockMaster gates are available to suit site-specific needs, including various locking methods and additional security toppings.



Find out more
Scan for more information

Features

- Wind-rated to BS EN 1991
- Zero ground strike
- Options to suit every site
- Can be repurposed for permanent fenceline on site completion
- Hire or purchase



Exploded view of post and fixing details for the CLD FenceSafe LockMaster
This product has additional features not demonstrated for security reasons



CLD FenceSafe SlideMaster

Permanent grade cantilever sliding gates in temporary or on-ground format



Description


CLD FenceSafe SlideMaster sliding gates offer a permanent grade quality in a temporary or on-ground format. The gates are supplied complete with infills to match the fenceline and are installed using CLD's innovative FenceSafe 100% recycled bases. All CLD's temporary gates can be redeployed as the site perimeter changes and even converted to permanent access control solutions upon completion. FenceSafe SlideMaster gates are available to suit site-specific needs, including various heights and widths, locking methods and additional security toppings.



Find out more
Scan for more information

Features

- Wind-rated to BS EN 1991
- Zero ground strike
- Options to suit every site
- Anti trip hazard outside



Exploded view of post and fixing details for the CLD FenceSafe Slidemaster
This product has additional features not demonstrated for security reasons

CLD FenceSafe PedMaster

Permanent grade turnstiles in a temporary format



Description

CLD PedMaster turnstiles offer a permanent grade of turnstile in a temporary or on-ground format. Featuring a self-contained weighted base with lifting point, they are easy to install and do not require any ground fixing. PedMaster turnstiles are available to suit site specific needs, including features such as 90° or 120° rotor assemblies, canopies, downlights and fire alarm activation.



Find out more
Scan for more information

Features

- Hire or purchase
- Bi or single direction
- Can support additional access control methods
- Single or double units available



Isometric view of for the CLD FenceSafe PedMaster
This product has additional features not demonstrated for security reasons

CLD Rental Systems

High levels of service delivery, knowledge on the ground and exceptional products are at the heart of our business philosophy. It was with those values in mind that CLD created its Hire Division, enabling our customers to be able to access the highest levels of perimeter security on a rental basis.



Our Goal

Is to ensure you have exactly the fencing you need, for as long as you need it. We recognise that every project is unique. **Whether you think you need temporary fencing for a few weeks or a few years, our team can help.**

- We not only provide flexibility concerning hire durations but also offer complete adaptability in designing temporary perimeter solutions, including options for height, length, and even electrification.
- Access can be included within your temporary fenceline design, including swing gates, turnstiles, barriers and sliding gates
- Technical support is readily available from our expert team
- Deliveries are made using our own FORS Silver accredited CLD delivery team

Installer Partners

We prioritise exceptional products and installation, carefully selecting contractors who demonstrate professionalism and attention to detail in their business and services.

Our partners undergo training and receive regular updates to ensure their expertise in fencing for your projects



Global Operations

A global presence with local expertise.

CLD has gained a reputation for delivering best in class British-made security systems worldwide. Our global presence ensures that our customers can uphold a consistent and dependable level of physical security across all their international locations.

Head Office

Modsec house
Moston Rd
Sandbach
Cheshire
United Kingdom
CW11 3HL

Tel +44 (0)1270 764 751

Offices In

Sandbach | London | Dubai | Jakarta | Sydney | Buenos Aires | Washington DC

cld-systems.com



Physical
Security
Systems