



Physical
Security
Systems

In Ground Physical Security Systems

Product Brochure

Together,
We make safe

Contents

Our Approach and About Us	04-05
Sustainability	06-07
In Ground & Permanent Security Systems	08-09
Securus S1	10
Securus AC SR2	11
Securus S2	12
Securus S3	13
Securus S4	14
Securus Lite S1	15
Securus	16
Securus ScreenFence	17
Rampart 30	18
Rampart 50	19
Dulok S1	20
Dulok 25 S1	21
Dulok	22
Dulok Lite	23
Dulok ScreenFence	24
Dulok Sport Rebound	25
Dulok WaveTop	26
Rotop	27
Eclipse	28
Eclipse Lite	29
Exempla	30
MultiPlus	31
Ultimate Extra S1	32
Ultimate	33
SafeoGril	34
ScreenoGril	35
SecureoGril	36
VizoGril	37
FibreFence Mesh	38
FibreFence Railing	39
Ball Stop Netting	40
SportsRail	41
FlexaRail	42
DecoFence	43
Exempla Timber	44
StoneFence	45
Permanent Access Control Systems	46-47
LockMaster	48
LockMaster Go	49
LockMaster S1	50
LockMaster S2	51
LockMaster S2 Auto	52
LockMaster S3	53
LockMaster S3 Auto	54
LockMaster S3 Panic Out	55
LockMaster S4	56
FibreFence Gates	57
SlideMaster	58
SlideMaster SR1	59
SlideMaster SR2	60
SlideMaster SR3	61
SpeedMaster	62
RiseMaster	63
PedMaster Single	64
PedMaster Double	65
Installer Partners	66
Global Operations	67

Standards

Our products adhere to globally recognised standards, undergo independent testing and utilise data-backed approaches to understand each product's capabilities, ensuring absolute peace of mind.




Our Approach

About us

As a world leader in physical security solutions, CLD takes pride in over 50 years of experience, delivering innovative and market leading security fencing and access control systems. Our solutions are tailored to each site's needs, ensuring safe, secure, and sustainable protection.

With offices in multiple global locations, including our headquarters in Sandbach, Cheshire, trust CLD to meet your physical security requirements to the highest standard.



Sustainability

CLD Physical Security Systems is dedicated to promoting sustainability and reducing waste in its operations. We strive to support our customers and colleagues in making responsible choices for a greener future.

80%

Recycled plastic used in our hoarding

100%

Recycled plastic used in our FenceSafe bases

78%

The amount of recycled steel used in all of CLD's steel fencing and posts

We are actively reevaluating our approach and engaging specialists to make a meaningful and measurable difference in sustainability.

We have already achieved significant milestones on our sustainability journey, including:

ISO 14001 Environmental Management System

Our approach has accelerated with the implementation of the ISO: 14001 Environmental Management System.

This international standard offers us a framework that helps us manage the impact that our businesses have on the environment.

It guarantees to our stakeholders that we comply with all legislation, regulations, and other environmental requirements. It also gives us the tools to make continual improvements to our performance.

EcoVadis

In 2021 we received a Silver Medal in recognition of sustainability achievement from EcoVadis. The Ecovadis Sustainability Scorecard assesses our performance against 21 indicators across 4 themes:

- Environment
- Labour and Human Rights
- Ethics
- Sustainable procurement

The EcoVadis assessment gives us more signposts for improvement so that we can secure a Gold Medal in the future.

Planet Mark

It is well known that in business you can't manage what you can't measure. It is vital that we can measure the continuous improvements we are making. CLD is working closely in partnership with Planet Mark, to measure our carbon emissions, energy and water consumption, travel and waste. Planet Mark also supports us with an understanding of how our social activities impact on the community.

Sustainable procurement

All of CLD's steel fencing and posts are manufactured from at least 78% recycled British and European steel, and our FenceSafe bases are manufactured from 100% recycled plastic and our hoarding from at least 80% recycled plastic.

All our steel products are widely recyclable. Furthermore, the panels used in our innovative FenceSafe temporary fencing solutions can be repurposed for use in the permanent fence line, making them the perfect sustainable solution.

Transport is another crucial area that we are looking to improve. We operate our own dedicated logistics department, which holds FORS Silver across its fleets.



Assessed to ISO 9001:2015
Assessed to ISO 14001:2015
Cert/LPCB ref. 999

Our Systems

In Ground & Permanent Physical Security Systems

Experience our range of reliable and effective in ground & permanent physical security solutions



Security Rated
LPS Rated Systems

Our products meet rigorous independent testing to LPS 1175 standards, ensuring the utmost security for your site.



GRP
Fibre Mesh Systems

Made from strong glass reinforced plastic, our GRP fencing range offers non-conductive, frangible, and radio transparent options.



HVM
Vehicle Mitigation Systems

Compatible with our Securus range, the system ensures multi-threat protection, combining a security fence with shallow foundation hostile vehicle mitigation.




CLD Securus S1

358 rigid mesh fencing system to LPS 1175 A1 (SR1) Issue 8
Approved for Government Use – contact NPSA for more information



Minimum of 60 seconds
delay against attack



Find out more
Scan for more information

Description

Securus is CLD's range of specialist security fencing. Traditionally referred to as prison mesh or 358 mesh, the Securus range has been updated with complete flexibility – the panels can be swapped out to change the security rating as the needs of the site change. Securus S1 has been certified by the Loss Prevention Certification Board to provide a minimum of 60 seconds delay against attack.

CLD Securus AC SR2

358 rigid mesh fencing system to LPS SR2 Issue 7
Approved for Government Use – contact NPSA for more information




Minimum of 3 Minutes
delay against attack



Find out more
Scan for more information

Description


Securus is CLD's range of specialist security fencing. Traditionally referred to as prison mesh or 358 mesh, the Securus range has been updated with complete flexibility – the panels can be swapped out to change the security rating as the needs of the site change. Securus AC SR2 has been certified by the Loss Prevention Certification Board to provide a minimum of 3 Minutes delay against attack.



Features

- Solid clamp bar for extra full-length security
- Continuous flanged post made from high strength steel for added durability
- Requires topping for NPSA use
- Anti-climb mesh

Exploded view of post and fixing details for the CLD Securus S1
This product has additional features not demonstrated for security reasons




Features

- Continuous flanged post made from high strength steel for added durability
- Double layer Anti-Climb 358 mesh panels


Exploded view of post and fixing details for the CLD Securus AC SR2
This product has additional features not demonstrated for security reasons

CLD Securus S2

358 rigid mesh fencing system to LPS 1175 B3 (SR2) Issue 8



Minimum of 3 Minutes
delay against attack




Find out more
Scan for more information

Description
Securus is CLD's range of specialist security fencing. Traditionally referred to as prison mesh or 358 mesh, the Securus range has been updated with complete flexibility – the panels can be swapped out to change the security rating as the needs of the site change. Securus S2 has been certified by the Loss Prevention Certification Board to provide a minimum of 3 Minutes delay against attack.

CLD Securus S3

358 rigid mesh fencing system to LPS 1175 C5 (SR3) Issue 8



Minimum of 5 Minutes
delay against attack



Find out more
Scan for more information

Description
Securus is CLD's range of specialist security fencing. Traditionally referred to as prison mesh or 358 mesh, the Securus range has been updated with complete flexibility – the panels can be swapped out to change the security rating as the needs of the site change. Securus S3 has been certified by the Loss Prevention Certification Board to provide a minimum of 5 Minutes delay against attack.

Features

- Solid clamp bar for extra full-length security
- Continuous flanged post made from high strength steel for added durability
- Offsite assembled fence panel cassettes
- Double layer Anti-Climb 358 mesh panels

Exploded view of post and fixing details for the CLD Securus S2
This product has additional features not demonstrated for security reasons


Features

- Solid clamp bar for extra security
- Can be Adapted for Use with Third-Party PID Systems Allowing Connection to Command Centre
- Double layer Anti-Climb 358 mesh panels
- Off-site assembled fence panel cassettes for speed of installation

Exploded view of post and fixing details for the CLD Securus S3
This product has additional features not demonstrated for security reasons

CLD Securus S4

358 rigid mesh fencing system to LPS 1175 D10 / E3 / G1 (SR4) Issue 8



Minimum of 10 Minutes
delay against attack




Find out more
Scan for more information


Description
Securus is CLD's range of specialist security fencing. Traditionally referred to as prison mesh or 358 mesh, the Securus range has been updated with complete flexibility – the panels can be swapped out to change the security rating as the needs of the site change. Securus S4 has been certified by the Loss Prevention Certification Board to provide a minimum of 10 minutes delay against attack.

CLD Securus Lite S1

358 rigid mesh fencing system to LPS 1175 A1 (SR1) Issue 8




Minimum of 60 seconds
delay against attack




Find out more
Scan for more information

Description
CLD Securus Lite S1 is a permanent, in-ground security fence. Tested and certified to LPS 1175 A1 (SR1) Issue 8. It guarantees a minimum delay of 60 seconds against attacks. This fenceline is suitable for Police Stations, Industrial Buildings, Schools, and MODs: quality is assured with this fence line.



- Features**
- Double cassette (front and rear)
 - Can be Adapted for Use with Third-Party PID Systems Allowing Connection to Command Centre
 - Double layer Anti-Climb 358 mesh panels
 - Off-site assembled fence panel cassettes for speed of installation

Exploded view of post and fixing details for the CLD Securus S4
This product has additional features not demonstrated for security reasons



- Features**
- Optional active anti intruder toppings
 - Two clamp bar options available
 - LPS 1175 Issue 8 A1 security rating

Exploded view of post and fixing details for the CLD Securus Lite S1
This product has additional features not demonstrated for security reasons

CLD Securus

358 rigid mesh fencing system



Find out more
Scan for more information

Description

CLD Securus is our range of specialist security fencing. Traditionally referred to as prison mesh or 358 mesh, the Securus range has been updated to offer the versatility and durability required by contemporary security challenges, whilst allowing clear visibility. Securus offers the option to retrofit - simply swap out panels or fixing details for a different rating to future-proof your security and the needs of the site.

Features


- Rolled flanged post design
- Attractive appearance, even with dense wire mesh
- Rigid welded steel wire mesh panels
- Applications such as commercial

Exploded view of post and fixing details for the CLD Securus
This product has additional features not demonstrated for security reasons



CLD Securus ScreenFence

358 rigid mesh privacy screening system



Find out more
Scan for more information

Description

CLD Screenfence is ideal when privacy is a priority and you need a screening system that guarantees restricted visibility of your premises, while giving your perimeter a modern vista that will last due to its increased durability despite it's cost-effectiveness. Screenfence is created by fitting the durable polyethylene(PE) screens to the mesh which are secured in place using custom-made clip fixings and sturdy bolts, ensuring they'll stand up to vandals.

Features


- Privacy ensuring screen system
- UV stable and weather proof material
- Ideal for security detention centres, Health facilities, schools, commercial

Exploded view of post and fixing details for the CLD Securus Screenfence
This product has additional features not demonstrated for security reasons




CLD Rampart 30

Multi-threat Security Fence and HVM to PAS 68:2010



Minimum of 1, 3, 5 or 10
minute delay delay against attack




Find out more
Scan for more information

Description

CLD Securus Rampart takes multi-threat protection to a new level for data centres and high risk sites, offering a high security fence system combined with a shallow foundation hostile vehicle mitigation. Securus Rampart 30 is tested to PAS 68:2010 – can stop a 7.5 tonne vehicle moving at 30 miles per hour (48 kilometres per hour) Can be used with any of CLD's LPS 1175 security rated Securus S1, S2, S3 or S4 fence panels.

CLD Rampart 50

Multi-threat Security Fence and HVM to IWA 14-1:2013



Minimum of 1, 3, 5 or 10
minute delay delay against attack



Find out more
Scan for more information

Description

Securus Rampart 50 takes multi-threat protection to a new level for data centres and high risk sites, offering a high security fence system combined with a shallow foundation hostile vehicle mitigation. Securus Rampart 50 has been testd to IWA 14-1:2013 – can stop a 7.5 tonne vehicle moving at 50 miles per hour (80 kilometres per hour). Can be used with any of CLD's LPS 1175 security rated Securus S1, S2, S3 or S4 fence panels.



PAS68 Securus Rampart 30 (BSI PAS68:2010) V/7500(N2)/48/90:3.4/6.4/400

Vehicle Test Weight	Vehicle Class	Vehicle Speed kph	Vehicle Angle	Vehicle Penetration	Footing Depth mm
V/7500KG	N2	48kph	90	3.4m	400mm

Features

Full multi-threat fencing and integrated HVM system

Ideal for: Data Centres, Police and military, government sites, nuclear

Shallow single location foundation design. Smaller footprint.

Only 400mm Foundation

Exploded view of post and fixing details for the CLD Rampart 30
This product has additional features not demonstrated for security reasons



IWA 14 Securus Rampart 50 (IWA 14-1:2013) V/7200[N3C]/80/90:8.5

Vehicle Test Weight	Vehicle Class	Vehicle Speed kph	Vehicle Angle	Vehicle Penetration	Footing Depth mm
V/7200KG	N3C	80kph	90	8.5m	400mm

Features

Full multi-threat fencing and integrated HVM system

Ideal for data centres and high risk sites anywhere in the world

Shallow single location foundation design. Smaller footprint.

Equivalent to ASTM M50 (Former Department of State K12)

Exploded view of post and fixing details for the CLD Rampart 50
This product has additional features not demonstrated for security reasons



CLD Dulok S1

Double wire fencing system to LPS 1175 A1 (SR1) Issue 8



Minimum of 60 seconds
delay against attack



Find out more
Scan for more information

Description

CLD Dulok is a highly versatile mesh fencing system, where visibility is required. This security-rated version of Dulok features twin 8mm horizontal wires either side of the 6mm vertical wire (traditionally known as 868), slowing down potential intruders.

Features

High security anti-cut double wire panels

Range of height options

Secured by Design accredited system

Full range of RAL colours available

Exploded view of post and fixing details for the CLD Dulok S1
This product has additional features not demonstrated for security reasons



CLD Dulok 25 S1

Double wire fencing system to LPS 1175 A1 (SR1) Issue 8



Minimum of 60 seconds
delay against attack



Find out more
Scan for more information

Description

Dulok is a highly versatile mesh fencing system, which offers an aesthetic and cost-effective solution where visibility is required. This security-rated version of Dulok features a smaller aperture of 25mm and no visible fixings, slowing down potential intruders.

Features

High security anti-cut double wire panels

Secured by Design accredited system

Full range of RAL colours available

Smaller aperture of 25mm making it more difficult to climb or cut

Exploded view of post and fixing details for the CLD Dulok 25 S1
This product has additional features not demonstrated for security reasons



CLD Dulok

Double wire fencing system



Description

CLD Dulok is a highly versatile mesh fencing system, which offers an aesthetic and cost-effective solution where visibility is required. Dulok features twin horizontal wires either side of the vertical wire. Available in two different options 6mm verticals and twin 8mm horizontals or 5mm verticals and twin 6mm horizontals. (traditionally known as 868 and 656).



Find out more
Scan for more information

Features

Ideal for: Schools, Zoos and Wildlife Parks, Sports facilities.

Anti-cut through, double wire panels

Wide range of heights options

Full range of RAL colours available

Exploded view of post and fixing details for the CLD Dulok
This product has additional features not demonstrated for security reasons



CLD Dulok Lite

Double wire fencing system



Description

CLD Dulok Lite is a durable and low maintenance general purpose fence system. Manufactured from twin horizontal wires with a choice of 6mm or 8mm diameter, either side of vertical wires which are either 5mm or 6mm in diameter. Panels are fixed to steel posts using metal clips with tamper-proof angled returns which are secured in place with pin hex screws for added security.



Find out more
Scan for more information

Features

Economical general purpose solution

Available in 3m height

Anti-vandal fasteners

Exploded view of post and fixing details for the CLD Dulok Lite
This product has additional features not demonstrated for security reasons



CLD Dulok ScreenFence

Double wire privacy screening system



Description

Dulok ScreenFence has been designed to restrict visibility of areas requiring privacy. Dulok ScreenFence is created by fitting durable polyethylene (PE) screens to the Dulok 868 double wire panels. A cost-effective option, Dulok ScreenFence not only looks great, but is UV stable and weatherproof for a long-lasting perimeter solution.



Find out more
Scan for more information

CLD Dulok Sport Rebound

Double wire fencing system for sports/MUGA areas




Description

CLD Dulok Sports Rebound offers built-in rebound ability without the need for separate panels or a compromise on security. With both full or partial options, Dulok Sports Rebound can be paired with the Dulok double wire system to create an aesthetically pleasing low maintenance sports perimeter.



Find out more
Scan for more information




Features

Limits visibility

Weatherproof

Recyclable materials

Exploded view of post and fixing details for the CLD Dulok ScreenFence
This product has additional features not demonstrated for security reasons



Features

Extra wires provide greater strength

Wide range of height options

Excellent rebound properties

Full range of RAL colours available

Exploded view of post and fixing details for the CLD Dulok Sport Rebound
This product has additional features not demonstrated for security reasons

CLD Dulok WaveTop

Double wire decorative fencing system



Find out more
Scan for more information

Description

CLD Dulok is a highly versatile mesh fencing system, which offers an aesthetic and cost-effective solution where visibility is required. This decorative version of Dulok features an appealing wave top effect. The twin 8mm horizontal wires either side of the 6mm vertical wire (traditionally known as 868)

CLD RoTop

Rigid panel fencing system



Find out more
Scan for more information

Description


CLD Rotop is practical and hard wearing as it is attractive, and the Rotop™ rigid panel system is exactly that. The welded steel mesh panels with rolled top and bottom beams act as an ideal perimeter while providing essential rigidity and safety.



Exploded view of post and fixing details for the CLD Dulok WaveTop
This product has additional features not demonstrated for security reasons

Features

- Bespoke decorative panels available
- Fast and simple installation
- Ideal for playgrounds, parks, housing developments, schools



Exploded view of post and fixing details for the CLD Rotop
This product has additional features not demonstrated for security reasons

Features

- Cost-effective
- Profiled panels
- Enclosed fixings
- Full length clamp bar for secure fixing and infinitely variable panel stepping within post length

CLD Eclipse

Profiled rigid mesh panel fencing system



Find out more
Scan for more information

Description

CLD Eclipse is a general-purpose perimeter fencing system offering a cost-effective and attractive fenceline. With projecting spikes, Eclipse is difficult to climb over offering a good deterrent against vandals and intruders.

Features

Profiled panels

Enclosed fixings

Matching clips

Exploded view of post and fixing details for the CLD Eclipse
This product has additional features not demonstrated for security reasons



CLD Eclipse Lite

Profiled rigid mesh panel fencing system



Find out more
Scan for more information

Description

Eclipse Lite is a general-purpose perimeter fencing system offering a cost-effective and attractive fenceline. With projecting spikes, Eclipse is difficult to climb over offering some deterrent against vandals and intruders.

Features

Cost-effective

Profiled panels

Enclosed fixings

Matching clips

Exploded view of post and fixing details for the CLD Eclipse Lite
This product has additional features not demonstrated for security reasons



CLD Exempla

Profiled rigid mesh panel fencing system



Description

CLD Exempla profiled panel system offers an aesthetically pleasing fencing solution whilst ensuring a robust first line of defence. From 2 to 5 profiles are possible, depending on the height of the fence. Designed for quick and simple installation, including up and down slopes, Exempla mesh fencing panels are held in place by CLD's unique hidden fixing system, SafeTFix.



Find out more
Scan for more information

Features

2 to 5 profiles depending on height, for added strength

Unique 'SafeTFix' hidden fixing system

East to install

Exploded view of post and fixing details for the CLD Exempla
This product has additional features not demonstrated for security reasons



CLD MultiPlus

Profiled variable mesh fencing system



Description

CLD Multiplus is a classic paladin style fencing system with variable mesh apertures, creating a stunning effect whilst offering external and internal demarcation for sites. With large upper profiles and groups of 6 vertical wires at 25mm spacing, creating a striped effect, CLD Multiplus offers a robust but highly decorative fence line for internal and external demarcation.



Find out more
Scan for more information

Features

Aesthetic appearance

Popular decorative effect

Demarcation for internal and external usage

Ideal for Schools, Car parks, public buildings, commercial and industrial.

Exploded view of post and fixing details for the CLD MultiPlus
This product has additional features not demonstrated for security reasons



CLD Ultimate Extra S1

Profiled panel fencing system to LPS 1175 A1 (SR1) Issue 8




Minimum of 60 seconds
delay against attack



Find out more
Scan for more information

Description

Ultimate Extra is CLD's profiled mesh panel system which has been certified by the Loss Prevention Certification Board to provide a minimum of 60 seconds delay against attack. It also has Secured By Design police preferred specification status confirming its effectiveness in crime prevention.



Exploded view of post and fixing details for the CLD Ultimate Extra S1
This product has additional features not demonstrated for security reasons

Features

Aesthetic solution

Difficult to climb and cut

Secured by Design accredited
system

Approved by planning
authorities

Full range of RAL colours
available

CLD Ultimate


Profiled rigid mesh panel fencing system



Find out more
Scan for more information

Description

CLD Ultimate is a high-quality and versatile perimeter fencing system, available with either 3, 4 or 5 profiles depending on the height. Profiled sections increase the rigidity of the panels. Ultimate panels are fixed to posts using full-length clamp bars, making for an exceptionally secure and difficult to climb perimeter. This system is ideal for schools, industrial estates or car parks.



Exploded view of post and fixing details for the CLD Ultimate
This product has additional features not demonstrated for security reasons

Features

Difficult to climb

Approved by many planning
authorities

Anti-vandal fasteners

CLD SafeoGril

Rigid grille fencing system



Find out more
Scan for more information

Description

CLD Safeogrill offers the perfect mix between an architecturally pleasing perimeter and security. Offering excellent visibility, it has a strong and robust welded frame and a thick vertical flat bar, making it difficult to cut through.



Features

Open mesh fencing

Heavy duty version of Secureogrill

Excellent visibility

Exploded view of post and fixing details for the CLD Safeogrill
This product has additional features not demonstrated for security reasons



CLD ScreenoGril


Louvred fence panel system



Find out more
Scan for more information

Description

CLD Screenogrill is designed to limit the visibility of premises whilst preventing intrusion, offering 2 different screening levels – 80% or 100%. Available in a range of different height options, CLD Screenogrill offers a modular approach for wherever screening is required. This system is perfect for applications such as hospitals, commercial developments, carparks or any screening application



Features

2 Screening level options

Contemporary louvred effect

Modular system

Exploded view of post and fixing details for the CLD Screenogrill
This product has additional features not demonstrated for security reasons



CLD SecureoGril

Rigid Grille panel system



Find out more
Scan for more information

Description

CLD Secureogrill offers the ideal solution for a perimeter to match modern urban landscapes. Offering excellent visibility, these panels are both hard-wearing and aesthetically pleasing. Secureogrill will complement any residential or commercial site.



Features

Modern aesthetic

Open mesh system

Cost-effective

Excellent visibility

Exploded view of post and fixing details for the CLD SecureoGril
This product has additional features not demonstrated for security reasons



CLD VizoGril


Rigid Grille panel system



Find out more
Scan for more information

Description

CLD Vizogrill has all the qualities of a high-quality perimeter fencing system that ensures the protection of high-security places including airports, seaports and prestigious buildings. Modern and renowned for its stability in the architectural world, the condensed strong mesh panels are incredibly difficult to cut through.



Features

Strong anti-cut features

Excellent visibility

Robust barrier construction

Exploded view of post and fixing details for the CLD VizoGril
This product has additional features not demonstrated for security reasons



CLD FibreFence Mesh

GRP mesh panel fencing system



Find out more
Scan for more information

Description

CLD FibreFence railing system is built using GRP pultruded profiles assembled to create self standing, modular panels which combine high mechanical resistance with radio-transparency and frangibility in compliance with ICAO. The tough design matched with clear span ratio to protect from jet-blast.



Exploded view of post and fixing details for the CLD FibreFence Mesh
This product has additional features not demonstrated for security reasons

Features

Cost-effective

Profiled panels

Enclosed fixings

Matching clips



CLD FibreFence Railing

GRP fibreglass fencing system



Find out more
Scan for more information

Description

CLD FibreFence GRP railing system is built by using GRP pultruded profiles which are then assembled to create self-standing, modular panels, that offer the best solution to combine high mechanical resistance and efficient protection with radio-transparency and frangibility requirements in compliance with ICAO prescriptions.



Exploded view of post and fixing details for the CLD FibreFence Railings
This product has additional features not demonstrated for security reasons

Features

Radio transparent

Frangible

No visual interference

Wildlife intrusion control



CLD Ball Stop Netting

Netting to integrate with sports fencing systems



Description

CLD Ball Stop polypropylene netting is the perfect solution to preventing balls escaping and ensuring there are no stoppages, because keeping balls within the areas of play is essential in many sports.



Find out more
Scan for more information

CLD SportsRail

Hand railling to match sports fencing systems




Description

When hosting any spectator sport, you should always have an appropriate barrier between the crowd and the field of play. Our incredibly popular SportsRail™ fencing creates a safe perimeter around the action, while giving spectators a strong and comfortable rail to lean on.



Find out more
Scan for more information




Features

Cost-effective

Weather resistant

Choice of colours

Isometric view for the CLD Ball Stop Netting
This product has additional features not demonstrated for security reasons



Features

CHS or SHS posts available

CHS or SHS top rails available

Excellent for corporate advertising

Quick and easy clamp system

Exploded view of post and fixing details for the CLD SportsRail
This product has additional features not demonstrated for security reasons

CLD FlexaRail

Vertical bar railings



Find out more
Scan for more information

Description

Uneven ground can often cause problems when installing a new fencing system, but thanks to the revolutionary self-raking panels of the Flexa-Rail™, it follows the contours of even the steepest of gradients without the need for stepping. Shorter panels are incredibly popular around children's playgrounds, recreation areas, and new build housing, with the standard bow-tops being approved by ROSPA for use around children's play areas.

Features

Safe tops

Variable raking

25.4mm diameter round bar tube

CLD DecoFence

Decorative metal fence panel



Find out more
Scan for more information

Description


CLD's DecoFence takes whatever intricate shapes and designs you desire, to create a uniquely stylish decorative metal fence panel. This can completely transform your fence line, ensuring your premises stand out from the crowd. We make steel or corten laser cut plates in the shape of motifs, company logos, a child's drawing or a famous piece of art; almost any ornamental metal fencing can be created.

Features

Corten finish options

Laser-cut shapes & designs

No design limit



CLD Exempla Timber


Profiled mesh with timber infill panel system



Find out more
Scan for more information

Description

CLD Exempla Timber profiled mesh system offers an aesthetically pleasing fencing solution with timber infill, whilst ensuring a robust first line of defense. The timber infill panels enhance the look of the fence panels whilst providing limited visibility of the premises. The fencing panels are held in place by CLD's unique hidden fixing system, SafeTFix.



Exploded view of post and fixing details for the CLD Exempla Timber
This product has additional features not demonstrated for security reasons

Features

- 2 to 5 profiles depending on height, for added strength
- Unique 'SafeTFix' hidden fixing system
- East to install



CLD StoneFence

Decorative walling system



Find out more
Scan for more information

Description

CLD StoneFence is our incredibly stylish eco-friendly decorative walling. Using twin welded wire mesh panels to create a divide, the beauty of local stone, broken brick or other recycled products can be displayed. The resulting barrier is resilient, vandal-resistant and noise-absorbing, while also becoming a natural haven for insects and wildlife.



Exploded view of post and fixing details for the CLD StoneFence
This product has additional features not demonstrated for security reasons

Features

- Filled with the stone of your choice
- Suitable for playgrounds recreation grounds, parks, housing developments
- Bespoke decorative panels available



Our Systems

Permanent Access Control

Physical Security Systems

Realise the power of our range of permanent access control solutions, providing secure and seamless control over your premises.



Barriers
Manual & Automatic Barriers

Lift arm barriers can be used to control access to entrance ways and car parks, providing an economic yet strong way of deterring unauthorised access.



Gates
Swing, Bi-Fold & Sliding options

Every fence line needs at least one gate to allow for the safe passage of people and vehicles, and ours fit seamlessly with every fencing system we offer.



Turnstiles
Single & Double Pedestrian access

High security for site entry and exit, available in bi-directional or single direction operation allowing you to determine how they are used within the overall fence line.



CLD LockMaster

Single and double leaf swing gate system



Find out more
Scan for more information

Description

CLD LockMaster™ Swing Gates - single and double - fit seamlessly with every fencing system we offer. The rigid welded steel wire mesh panels are fixed to a steel SHS surround using a solid clamp bar and secure fixings, making them extremely hard-wearing and giving them a real heavy-duty feel. Supplied with steel drop bolt sockets to be set in concrete, all gates feature adjustable anti-lift-off hinges, making them incredibly difficult to vandalise.

CLD LockMaster GO


Fast Turnaround Gates



Find out more
Scan for more information

Description

CLD's LockMaster Go gates have been specially developed to reduce the traditional long lead-times on mesh gate systems. Available in four different CLD mesh options: Eclipse, Exempla, MultiPlus and Securus.




Features

Wide range of locks and security options available

Anti-lift off hinges on heavy duty posts and frame

Gate infill to match fence system or clients own design

Exploded view of post and fixing details for the CLD LockMaster
This product has additional features not demonstrated for security reasons



Features

Available in four different mesh options

Double or Single leaf options

Front, Rear or Centre Hung


Wide range of RAL colours available

Exploded view of post and fixing details for the CLD LockMaster Go
This product has additional features not demonstrated for security reasons



CLD LockMaster S1

Swing gate system to LPS 1175 A1 (SR1) Issue 8



Minimum of 60 Seconds
delay against attack




Find out more
Scan for more information

Description

CLD's LockMaster swing gates have been specially developed to blend in seamlessly with a CLD fence line. Available in different mesh options Dulok and Dulok 25, Securus and Ultimate Extra, they offer security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 60 seconds against attack.

CLD LockMaster S2

Swing gate system to LPS 1175 B3 (SR2) Issue 8



Minimum of 3 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD's LockMaster S2 swing gates have been specially developed to blend in seamlessly with a CLD Securus fence line. Available using a Securus S2 infill panel, LockMaster S2 offers security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 3 minutes against attack.


Features

Available in different mesh options to match fence line

Security-rated gates

Double or single leaf opening

Rear or centre hung



Exploded view of post and fixing details for the CLD Lockmaster S1
This product has additional features not demonstrated for security reasons


Features

Matches CLD Securus Fenceline

Security-rated gates

Double or single leaf opening

Opening in or out



Exploded view of post and fixing details for the CLD Lockmaster S2
This product has additional features not demonstrated for security reasons

CLD LockMaster S2 Auto

Automatic swing gate system to LPS 1175 B3 (SR2) Issue 8



Minimum of 3 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD's LockMaster S2 Auto swing gates have been specially developed to blend in seamlessly with a CLD Securus fence line. Available using a Securus S2 infill panel, LockMaster S2 offers security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 3 minutes against attack.

CLD LockMaster S3

Swing gate system to LPS 1175 C5 (SR3) Issue 8



Minimum of 5 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD's LockMaster S3 swing gates have been specially developed to blend in seamlessly with a CLD Securus fence line. Available using a Securus S3 infill panel, LockMaster S3 offers security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 5 minutes against attack.



Exploded view of post and fixing details for the CLD Lockmaster S2 Auto
This product has additional features not demonstrated for security reasons

Features

Matches CLD Securus
Fenceline

Security-rated gates

Double or single leaf opening



Exploded view of post and fixing details for the CLD Lockmaster S3
This product has additional features not demonstrated for security reasons

Features

Matches CLD Securus
Fenceline

Security-rated gates

Double or single leaf opening

Opening in or out



CLD LockMaster S3 Auto

Automatic swing gate system to LPS 1175 C5 (SR3) Issue 8



Minimum of 5 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD's LockMaster S3 Auto swing gates have been specially developed to blend in seamlessly with a CLD Securus fence line. Available using a Securus S3 infill panel, LockMaster S3 Auto offers security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 5 minutes against attack.

CLD LockMaster SR3 Panic Out

Emergency exit gate to LPS 1175 SR3 Issue 7



Minimum of 5 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD LockMaster SR3 Panic out emergency exit gate has been specifically developed to blend in seamlessly with a CLD Securus fence line. Available using a Securus S3 infill panel, LockMaster SR3 Panic Out offers security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 5 minutes against attack.

Features

Matches CLD Securus
Fenceline

Security-rated gates

Double or single leaf opening



Exploded view of post and fixing details for the CLD Lockmaster S3 Auto
This product has additional features not demonstrated for security reasons


Features

Compatible with access
control on request

Security-rated emergency
exit gate

Single leaf opening

Outwards opening



Exploded view of post and fixing details for the CLD Lockmaster SR3 Panic Out
This product has additional features not demonstrated for security reasons



CLD LockMaster S4

High Security Fencing to LPS 1175 D10 (SR4) / E3 / G1



Description

CLD's LockMaster S4 swing gates have been specially developed to blend in seamlessly with a CLD Securus fence line. Available using a Securus S4 infill panel, LockMaster S4 offers security-rated access control, whilst maintaining aesthetics. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 10 minutes against attack.



Find out more
Scan for more information

Features

Matches CLD Securus Fenceline

Security-rated gates


Double or single leaf opening

Opening in or out

Exploded view of post and fixing details for the CLD Lockmaster S4
This product has additional features not demonstrated for security reasons

CLD FibreFence Gates

GRP Fibreglass Gate System



Description

CLD FibreFence Gates come in mesh, grating and railing panel types to match the existing fencing, and is available in pedestrian and vehicular styles allowing the natural completion of any FibreFence fencing system. They share all GRP's intrinsic benefits, i.e. radio transparency, frangibility, great resistance to corrosion, UV rays and weather, mechanical resistance, and very limited maintenance.



Find out more
Scan for more information

Features

Radio-transparent

Lightweight and easy to handle

Easy installation

Zero maintenance

Exploded view of post and fixing details for the CLD FibreFence Gates
This product has additional features not demonstrated for security reasons

CLD SlideMaster

Cantilever Sliding Gates



Find out more
Scan for more information

Description

CLD's SlideMaster gates have been specially developed to blend in seamlessly with a CLD fence line. Available in different mesh options to match the fence, set in a heavy-duty aluminium frame, SlideMaster gates are available up to 10 metres wide each. This gate is ideal for industrial, retail and car parks. The track is totally enclosed, preventing damage from vandals.



Exploded view of post and fixing details for the CLD SlideMaster
This product has additional features not demonstrated for security reasons

Features

Available in different mesh options to match fence line

Double or single leaf opening

Enclosed track



CLD SlideMaster SR1

Cantilever Auto Sliding Gate to LPS 1175 SR1 Issue 7




Minimum of 60 Seconds
delay against attack



Find out more
Scan for more information

Description

CLD SlideMaster SR1 gates have been specially developed to blend in seamlessly with a CLD Securus fenceline. Offering excellent visibility, they are difficult to cut through and scale. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 60 seconds against attack.



Exploded view of post and fixing details for the CLD SlideMaster SR1
This product has additional features not demonstrated for security reasons

Features

Clear drive through widths up to 8m

Security-rated gates

Automatic operation



CLD SlideMaster SR2

Cantilever Auto Sliding Gate to LPS 1175 SR2 Issue 7




Minimum of 3 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD SlideMaster SR2 gates have been specially developed to blend in seamlessly with a CLD Securus fenceline. Offering excellent visibility, they are difficult to cut through and scale. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 3 Minutes against attack, CLD SlideMaster SR2 is also Secured by Design accredited, making it a police-preferred specification for security.



Exploded view of post and fixing details for the CLD SlideMaster SR2
This product has additional features not demonstrated for security reasons

Features

Clear drive through widths
up to 8m

Security-rated gates

Automatic operation



CLD SlideMaster SR3

Cantilever Auto Sliding Gate to LPS 1175 SR3 Issue 7




Minimum of 5 Minutes
delay against attack



Find out more
Scan for more information

Description

CLD SlideMaster SR3 gates have been specially developed to blend in seamlessly with a CLD Securus fenceline. Offering excellent visibility, they are difficult to cut through and scale. Rigorously tested by the Loss Prevention Certification Board (LPCB) to guarantee a minimum delay of 5 Minutes against attack, CLD SlideMaster SR3 is also Secured by Design accredited, making it a police-preferred specification for security.



Exploded view of post and fixing details for the CLD SlideMaster SR3
This product has additional features not demonstrated for security reasons

Features

Clear drive through widths
up to 8m

Security-rated gates

Automatic operation



CLD SpeedMaster

Bi-folding gate system



Find out more
Scan for more information

Description

CLD SpeedMaster™ bi-folding trackless speed gates open more than twice the speed of traditional swinging gates, to maintain the protection of the perimeter of high-level security premises. The rapid opening and closing action ensures traffic rarely stands still, so there's less opportunity for tailgating. With the SpeedMaster™ gates folding in on each other as they open, they're ideal where space is at a premium.

Features

Catch plate for security

Safety edges as standard

Heavy duty hinges



Exploded view of post and fixing details for the CLD SpeedMaster
This product has additional features not demonstrated for security reasons



CLD RiseMaster

Manual lift arm barrier



Find out more
Scan for more information

Description

CLD RiseMaster Manual lift arm barrier can be used to manually control access to entrance ways and car parks, or inhibited areas. This is a simple, economic yet strong way of deterring unauthorised access. They are a very versatile product which only needs one engineer for a quick, easy and cost-effective install. It can be used consistently during the day without effort and duress on the user.

Features

2 Gas struts for stability and security

Ready assembled

Pogo stick supports as optional extras



Exploded view of post and fixing details for the CLD RiseMaster
This product has additional features not demonstrated for security reasons



CLD PedMaster (Single)

Single turnstile system



Find out more
Scan for more information

Description

Turnstiles offer the best protection for site entry and exit. They help to prevent piggybacking and tailgating attempts at such a reliable level that no guard supervision is necessary. Manufactured to the exact same standards as a permanent turnstile, and are suitable for controlling access in environments such as reception areas, schools, public buildings and military bases.

CLD PedMaster (Double)

Single turnstile system



Find out more
Scan for more information

Description

CLD PedMaster turnstiles offer the best protection for site entry and exit. They help to prevent piggybacking and tailgating attempts at such a reliable level that no guard supervision is necessary. Manufactured to the exact same standards as a permanent turnstile, and are suitable for controlling access in environments such as reception areas, schools, public buildings and military bases.



Features


Force Tested to
1200 Newtons

Seamlessly forms part of the
existing fence lines

Bi-directional or single
direction only

All RAL colours available
(galvanised optional cost)

Exploded view of post and fixing details for the CLD Pedmaster Single
This product has additional features not demonstrated for security reasons



Features

All RAL colours
available

Force tested to 1200 Newtons

Bi-directional or single
direction only

Exploded view of post and fixing details for the CLD PedMaster Double
This product has additional features not demonstrated for security reasons

Installer Partners

We prioritise exceptional products and installation, carefully selecting contractors who demonstrate professionalism and attention to detail in their business and services.

Our partners undergo training and receive regular updates to ensure their expertise in fencing for your projects



Global Operations

A global presence with local expertise.

CLD has gained a reputation for delivering best in class British-made security systems worldwide. Our global presence ensures that our customers can uphold a consistent and dependable level of physical security across all their international locations.

Head Office

Modsec house
Moston Rd
Sandbach
Cheshire
United Kingdom
CW11 3HL

Tel +44 (0)1270 764 751

Offices In

Sandbach | London | Dubai | Jakarta | Sydney | Buenos Aires | Washington DC

cld-systems.com



Physical
Security
Systems